## **Details of Wellness and Screening Programmes**

## Applicable to PRUhealth critical illness multi-care prestige

PRUhealth critical illness multi-care prestige offers the Life Assured the Wellness Benefit once per lifetime. The Life Assured may select one of the wellness and screening programmes offered under the Wellness Benefit on the second policy anniversary. There are a wide variety of wellness and screening programmes available for selection at different life stages. The Life Assured may refer to the details of Wellness and Screening Programmes for the latest programme details and service provider locations.

#### Note:

Service scope of the wellness and screening programmes, list of service providers and information of service providers, including their addresses, office hours and telephone numbers, may be updated from time to time without prior notice. For enquiry, please contact the service provider directly.

#### Disclaimer

The services under this wellness and screening programme are provided by third party service providers appointed by Prudential Hong Kong Limited ("Prudential"). Prudential is not any of the service providers or the agent of the service providers. Prudential makes no representation, warranty or undertaking as to the quality and availability of the services and shall not accept any responsibility or liability for the services provided by the service providers. In response to possible medical advancement in the future, Prudential reserves the right to amend the wellness and screening programme and its rules and regulations without prior notice. In case of disputes, Prudential's decision shall be final.

Current Sum Assured of PRUhealth critical illness multi-care prestige from USD 50,000/ HKD 400,000 to below			
USD 100,000/ HKD 800,000			
1A. For Atopic Disease screening: Comprehensive allergen profile	2		
1B. For Hepatitis B screening: a) Ultrasonography of liver, b) Liver function, c) Alpha-fetoprotein	3		
1C. For Breast Cancer screening: a) Ultrasonography of breasts, b) Mammogram	4		
1D. For Breast & Pelvic Cancer screening: Ultrasonography of breasts and pelvis	5		
1E. Prostate Cancer screening: a) Ultrasonography of prostate, b) Total PSA	6		
1F. For Obesity prevention: a) Dietitian consultation (1 visit), b) follow up for weight reduction (2			
<u>visits, 30 mins for each session)</u>	7		
1G. HPV Screening: HPV genotyping and pap smear test	8		
1H. Comprehensive health package – Plan 1 and bone density measurement	9		
11. Vaccination of 13-valent pneumococcal conjugate	10		
Current Sum Assured of PRUhealth critical illness multi-care prestige equals USD 100,000/ HKD 800,000	or or		
above			
2A. For Atopic Disease screening: Comprehensive allergen profile Comprehensive Health Package -			
Plan 1 and Atopic Disease screening: Comprehensive allergen profile	11		
2B. For Breast Cancer screening: a) Ultrasonography of breasts, b) 3D Mammogram	12		
2C. Comprehensive Health Package - Plan 1 and Breast & Pelvic Cancer screening: Ultrasonography of			
breasts and pelvis	13		
2D. Comprehensive Health Package - Plan 1 and Prostate Cancer screening: a) Ultrasonography of			
prostate b) Total PSA	14		
2E. Comprehensive Health Package - Plan 2, bone density measurement and ultrasonography of			
abdomen: check-up includes blood pressure measurement, urinalysis, blood test	15		
2F. For Obesity prevention: a) Dietitian consultation (1 visit), b) follow up for weight reduction (2			
<u>visits, 30 mins for each session)</u>	16		
2G. Vaccination of 13-valent pneumococcal conjugate	17		
Details of Comprehensive Health Package – Plan 1	18		
Details of Comprehensive Health Package – Plan 2	19		
List of Sarvice Providers	20		

Note: Individual wellness and screening programme may have minimum age restriction, please check with the service provider.

## 1A. For Atopic Disease screening: Comprehensive allergen profile

## Hong Kong Health Check & Medical Diagnostic Group

- Total IgE

Cat Dander - Epithelium

- Dog Dander

- Rodent Pets (Guinea Pig, Epithelium, Rabbit Epithelium, Hamster Epithelium, Rat, Mouse)

- House Dust Mix (D. pteronyssinus, D. farinae, House Dust - Greer, Cockroach)

- Mould Mix (Penicillium notatum, Cladosporium herbarum, Aspergillus fumigatus, Candida albicans, Alternaria tenuis)

Tree Mix (Olive, Willow, White Pine, Eucalyptus, Acacia, Melaleuca Tenuis)

Weed Mix (Common Ragweed, Mugwor, English Plantain, Lamb's Quarte, Russian Thistle)

Beef

Pork

- Chicken

- Shrimp

Lobster

Crab

✓ Blood Taking

✓ Report Explanation by Doctor

Please click <u>here</u> to view List of Service Providers for appointment details.

### **Comprehensive Allergens Panel**

Codfish

Cow's Milk

Egg White

Egg Yolk

Cheese, Cheddar

Chocolate

Wheat

Oat

Rice Soybean

Baker's Yeast

Peanut

Nut Mix (Peanut, Hazelnut, Brazil Nut, Almond, Coconut)

### **Medtimes Medical Services Centre**

### Inhalation and Food Allergens Atopy (China)

Tree mix (willow, poplar, elm), Common ragweed, Mugwort

- House dust mite mix (Der. pteronyssinus, Der. farinae)

- House dust, Cat, Dog

- Cockroach, German

- Mould mix (Penicillium notatum, Cladosporium herbarium, Aspergillus fumigatus and Alternaria alternata)

- Egg white, Cow's milk

✓ Blood Taking

✓ Report Explanation by Doctor

Peanut, Soybean Beef, Mutton / lamb

Sea fish mix (codfish, lobster, scallop)

Fresh water fish mix (salmon, perch, carp)

Shrimp / Prawn, Crab

## 1B. For Hepatitis B screening: a) Ultrasonography of liver, b) Liver function, c) Alpha-fetoprotein

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Blood Taking
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Medtimes Medical Services Centre**

- ✓ Blood Taking
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

## 1C. For Breast Cancer screening: a) Ultrasonography of breasts, b) Mammogram

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Ultrasonography
- ✓ Mammogram (2D Bilateral, without breast implant)
- ✓ Report Explanation by Doctor

#### Remarks:

- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.
- Please do not apply any deodorant lotion and powder to the underarm and breasts area prior to examination.

Please click here to view List of Service Providers for appointment details.

## **Medtimes Medical Services Centre**

- ✓ Ultrasonography
- ✓ Mammogram (2D Bilateral, without breast implant)
- ✓ Report Explanation by Doctor

### Remarks:

- Mammogram is only suitable for women aged over 40.
- Please do not apply any deodorant lotion and powder to the underarm and breasts area prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details. Service is only available at Tsim Sha Tsui and Sheung Shui Centres.

## 1D. For Breast & Pelvic Cancer screening: Ultrasonography of breasts and pelvis

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

#### Remarks:

- Please drink a lot of water until you have full bladder 30 minutes prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Medtimes Medical Services Centre**

- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

#### Remarks:

Full bladder is required for pelvis ultrasound (transabdominal), please drink at least around 4 cups of water prior to examination.

## 1E. Prostate Cancer screening: a) Ultrasonography of prostate, b) Total PSA

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Blood Taking
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

### Remarks:

- Please drink a lot of water until you have full bladder 30 minutes prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Medtimes Medical Services Centre**

- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

#### Remarks:

- Full bladder is required for prostate ultrasound (transabdominal), please drink at least around 4 cups of water prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Trinity Medical Center**

Please contact service provider directly for scope of service.

## 1F. For Obesity prevention: a) Dietitian consultation (1 visit), b) follow up for weight reduction (2 visits, 30 mins for each session)

## **Medtimes Medical Services Centre**

√ 30 minutes for first visit and for each follow up visit

## 1G. HPV Screening: HPV genotyping and pap smear test

## Hong Kong Health Check & Medical Diagnostic Group

Including: HPV 6, 11, 16, 18, 26, 31, 33, 34, 35, 39, 40, 42, 43, 44, 45, 51, 52, 53, 54, 55, 56, 57, 58, 59, 61, 66, 67, 68, 69, 70, 71, 72, 73 (MM9), 81, 82 (MM4), 83 (MM7) and 84 (MM8)

- ✓ Blood Taking
- ✓ Pap Smear Test
- ✓ Report Explanation by Doctor

#### Remarks:

- Avoid intravaginal drugs for 7 days prior to examination.
- Avoid douching and sexual intercourse for 1 day prior to examination.
- It should not be done during menstrual period.

Please click <u>here</u> to view List of Service Providers for appointment details.

### **Medtimes Medical Services Centre**

Including: HPV 6, 11, 16, 18, 26, 31, 33, 35, 39, 40, 42, 45, 51, 52, 53, 54, 55, 56, 58, 59, 61, 62, 64, 66, 67, 68, 69, 70, 71, 72, 73 (MM9), 81, 82 (MM4), 83 (MM7), 84 (MM8), IS39 and CP6108

- ✓ Pap Smear Test
- ✓ Report Explanation by Doctor

#### Remarks:

- Avoid intravaginal drugs for 7 days prior to examination.
- Avoid douching and sexual intercourse for 1 day prior to examination.
- Avoid this test during menstrual period, including 3 days before and 7 days after

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Trinity Medical Center**

Including 33 HPV genotypes.

Please contact service provider directly for scope of service.

## 1H. Comprehensive health package – Plan 1 and bone density measurement

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Physical Examination
- ✓ Blood Taking
- ✓ ECG
- ✓ X-Ray Test
- ✓ Urine & Stool Test
- ✓ Dexa Scan
- ✓ Report Explanation by Doctor

For details of Comprehensive health package – Plan 1, please click here.

#### Remarks:

- No drinking and eating for 8 to 12 hours prior to examination.
- Please avoid any alimentary tract contrast tests 7 days prior to examination.
- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.

Please click here to view List of Service Providers for appointment details.

### **Medtimes Medical Services Centre**

For details of Comprehensive health package – Plan 1, please click <u>here</u>.

#### Remarks:

- Please fast for 8 hours or more prior to examination, can drink moderate amount of water.
- Please try to avoid doing the health check during menstrual period.
- Please notify our staff for confirmed or suspected pregnancy.
- It is convenient for you to bring together with your stool specimen on the examination date.

## 11. Vaccination of 13-valent pneumococcal conjugate

### **Medtimes Medical Services Centre**

- √ Vaccine Name: Pneumococcal Conjugate Vaccine (13-Valent)
- ✓ Pharmaceutical companies: Pfizer
- √ 13 Serotypes: 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F
- ✓ Dosage: 1 dose
- ✓ Vaccine composition, each dose of 0.5 ml contains:
  - Serotype 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F and 23F pneumoniae capsular polysaccharides @ 2.2 μg
  - Serotype 6B pneumococcal capsular polysaccharide 4.4 μg
  - CRM197 protein carrier 32 μg

#### Remarks:

- The following persons are not suitable for injections:
  - Having a severe allergic reaction after receiving the pneumococcal conjugate vaccine or to the vaccine components (including antigens and protein carriers)
  - Having severe allergic reaction after receiving vaccination containing diphtheria vaccine
- The Hong Kong Centre for Health Protection recommends that people aged two or above having high risk\*
   condition should take the following options:
  - Those who have never been vaccinated can be administered with 13-valent combination vaccine first, and
     23-polyvalent vaccine after one year;
  - Those who have been vaccinated with 23-valent polysaccharide vaccine, can re-administer 13-valent combined vaccine after one year;
  - Those who have been vaccinated with 13-valent combination vaccine, can re-administer 23-valent polysaccharide vaccine after one year.

- \* High-risk situations include:
- Have had invasive pneumococcal disease
- 2. Lack of immune function, such as
  - i. No spleen, AIDS, primary immune deficiency
  - ii. Immune deficiency related to cancer and organ transplantation
  - iii. Immunity deficiency related to the use of immunosuppressive agents or steroids
- 3. Chronic diseases, such as
  - i. Chronic heart, lung, liver or kidney disease
  - ii. Diabetes or cerebrospinal fluid leakage
- 4. A cochlear implant is installed (hypertension itself is not a high-risk situation)
- 5. A consultation fee of 300 HKD will be charged if the client is not recommended for the vaccination by the doctor after assessment.
- 6. The \$300 consultation fee will be waived if the client chooses to undertake anyone of the wellness and screening programmes by Medtimes Medical Services Centre (refer to menu P.2).

# 2A. For Atopic Disease screening: Comprehensive allergen profile Comprehensive Health Package - Plan 1 and Atopic Disease screening: Comprehensive allergen profile

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Physical Examination
- ✓ Blood Taking
- ✓ ECG
- ✓ X-Ray Test
- ✓ Urine & Stool Test
- ✓ Report Explanation by Doctor

For details of Comprehensive health package – Plan 1, please click <u>here</u>.

For details about Atopic Disease screening: Comprehensive allergen profile, please click here.

#### Remarks:

- No drinking and eating for 8 to 12 hours prior to examination.
- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.

Please click here to view List of Service Providers for appointment details.

#### **Medtimes Medical Services Centre**

For details of Comprehensive health package – Plan 1, please click here.

For details about Atopic Disease screening: Comprehensive allergen profile, please click here.

#### Remarks:

- Please fast for 8 hours or more prior to examination, can drink moderate amount of water.
- Please try to avoid doing the health check during menstrual period.
- Please notify our staff for confirmed or suspected pregnancy.
- It is convenient for you to bring together with your stool specimen on the examination date.

## 2B. For Breast Cancer screening: a) Ultrasonography of breasts, b) 3D Mammogram

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Ultrasonography
- ✓ Mammogram
- ✓ Report Explanation by Doctor

#### Remarks:

- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.
- Please do not apply any deodorant lotion and powder to the underarm and breasts area prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

## **Trinity Medical Center**

Please contact service provider directly for scope of service.

## 2C. Comprehensive Health Package - Plan 1 and Breast & Pelvic Cancer screening: Ultrasonography of breasts and pelvis

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Physical Examination
- ✓ Blood Taking
- ✓ ECG
- ✓ X-Ray Test
- ✓ Urine & Stool Test
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

For details of Comprehensive health package – Plan 1, please click here.

#### Remarks:

- No drinking and eating for 8 to 12 hours prior to examination.
- Please drink a lot of water until you have full bladder 30 minutes prior to examination.
- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.

Please click <u>here</u> to view List of Service Providers for appointment details.

### **Medtimes Medical Services Centre**

For details of Comprehensive health package – Plan 1, please click here.

#### Remarks:

- Please fast for 8 hours or more prior to examination, can drink moderate amount of water.
- Please try to avoid doing the health check during menstrual period.
- Please notify our staff for confirmed or suspected pregnancy.
- It is convenient for you to bring together with your stool specimen on the examination date.
- Full bladder is required for pelvis ultrasound (transabdominal), please drink at least around 4 cups of water prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

Note: Pelvic cancers refer to a variety of cancers involving female reproductive organs including ovaries and uterus.

## 2D. Comprehensive Health Package - Plan 1 and Prostate Cancer screening: a) Ultrasonography of prostate b) Total PSA

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Physical Examination
- ✓ Blood Taking
- ✓ ECG
- ✓ X-Ray Test
- ✓ Urine & Stool Test
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

For details of Comprehensive health package – Plan 1, please click here.

#### Remarks:

- No drinking and eating for 8 to 12 hours prior to examination.
- Please drink a lot of water until you have full bladder 30 minutes prior to examination.

Please click <u>here</u> to view List of Service Providers for appointment details.

### **Medtimes Medical Services Centre**

For details of Comprehensive health package – Plan 1, please click <u>here</u>.

### Remarks:

- Please fast for 8 hours or more prior to examination, can drink moderate amount of water.
- It is convenient for you to bring together with your stool specimen on the examination date.
- Full bladder is required for prostate ultrasound (transabdominal), please drink at least around 4 cups of water prior to examination.

# 2E. Comprehensive Health Package - Plan 2, bone density measurement and ultrasonography of abdomen: check-up includes blood pressure measurement, urinalysis, blood test

## Hong Kong Health Check & Medical Diagnostic Group

- ✓ Physical Examination
- ✓ Blood Taking
- ✓ ECG
- ✓ X-Ray Test
- ✓ Urine & Stool Test
- ✓ Dexa Scan
- ✓ Ultrasonography
- ✓ Report Explanation by Doctor

For details of Comprehensive health package – Plan 2, please click <u>here</u>.

#### Remarks:

- No drinking and eating for 8 to 12 hours prior to examination.
- Please avoid any alimentary tract contrast tests 7 days prior to examination.
- Please drink a lot of water until you have full bladder 30 minutes prior to examination.
- Woman who is pregnant or suspected to be pregnant is not suitable to take any X-Ray exam.

Please click here to view List of Service Providers for appointment details.

### **Medtimes Medical Services Centre**

For details of Comprehensive health package – Plan 2, please click here.

#### Remarks:

- Please fast for 8 hours or more prior to examination, can drink moderate amount of water.
- Please try to avoid doing the health check during menstrual period.
- Please notify our staff for confirmed or suspected pregnancy.
- It is convenient for you to bring together with your stool specimen on the examination date.
- Full bladder is required for pelvis/ prostate ultrasound (transabdominal), please drink at least around 4 cups of water prior to examination.

## 2F. For Obesity prevention: a) Dietitian consultation (1 visit), b) follow up for weight reduction (2 visits, 30 mins for each session)

## **Medtimes Medical Services Centre**

✓ 30 minutes for first visit and for each follow up visit

## 2G. Vaccination of 13-valent pneumococcal conjugate

### **Medtimes Medical Services Centre**

- √ Vaccine Name: Pneumococcal Conjugate Vaccine (13-Valent)
- ✓ Pharmaceutical companies: Pfizer
- √ 13 Serotypes: 1, 3, 4, 5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F
- ✓ Dosage: 1 dose
- ✓ Vaccine composition, each dose of 0.5 ml contains:
  - Serotype 1, 3, 4, 5, 6A, 7F, 9V, 14, 18C, 19A, 19F and 23F pneumoniae capsular polysaccharides @ 2.2 μg
  - Serotype 6B pneumococcal capsular polysaccharide 4.4 μg
  - CRM197 protein carrier 32 μg

#### Remarks:

- The following persons are not suitable for injections:
  - Having a severe allergic reaction after receiving the pneumococcal conjugate vaccine or to the vaccine components (including antigens and protein carriers)
  - Having severe allergic reaction after receiving vaccination containing diphtheria vaccine
- The Hong Kong Centre for Health Protection recommends that people aged two or above having high risk\*
   condition should take the following options:
  - Those who have never been vaccinated can be administered with 13-valent combination vaccine first, and 23-polyvalent vaccine after one year;
  - Those who have been vaccinated with 23-valent polysaccharide vaccine, can re-administer 13-valent combined vaccine after one year;
  - Those who have been vaccinated with 13-valent combination vaccine, can re-administer 23-valent polysaccharide vaccine after one year.

- \* High-risk situations include:
- 1. Have had invasive pneumococcal disease
- 2. Lack of immune function, such as
  - a. No spleen, AIDS, primary immune deficiency
  - b. Immune deficiency related to cancer and organ transplantation
  - c. Immunity deficiency related to the use of immunosuppressive agents or steroids
- 3. Chronic diseases, such as
  - a. Chronic heart, lung, liver or kidney disease
  - b. Diabetes or cerebrospinal fluid leakage
- 4. A cochlear implant is installed (hypertension itself is not a high-risk situation)
- 5. A consultation fee of 300 HKD will be charged if the client is not recommended for the vaccination by the doctor after assessment.
- 6. The \$300 consultation fee will be waived if the client chooses to undertake anyone of the wellness and screening programmes by Medtimes Medical Services Centre (refer to menu P.2).

## Details of Comprehensive Health Package – Plan 1

	Items
General health questionnaire	✓
Physical Examination	- Body height
	- Body weight
	- Blood pressure & pulse
	- BMI
	- Visual acuity
	- Colour vision
Haematology	- Complete Blood Picture
Diabetes screening	- Fasting blood glucose
Cholesterol	- Full lipid profile (Total chol, HDL-Chol, LDL-Chol, TG)
ECG	- ECG resting
Chest XR	- CXR
Liver function test	- Liver function test (ALT, AST, ALP, Bilirubin )
Renal function test	- Urea, Creatinine
Gout	- Uric acid
Hepatitis B	- HBsAg
Thyroid function	- fT4
Urine test	- Urine microscopy /urinalysis
Stool	- Fecal occult blood
Medical report with Dr's comment	✓
Report explanation	✓

## **Details of Comprehensive Health Package – Plan 2**

	Items
General health questionnaire	✓
Physical Examination	- Body height
	- Body weight
	- Blood pressure & pulse
	- BMI
	- Visual acuity
	- Colour vision
Haematology	- Complete Blood Picture
Diabetes screening	- Fasting blood glucose
	- HbA1c (Plan 2 exclusive)
Cholesterol	- Full lipid profile (Total chol, HDL-Chol, LDL-Chol, TG)
ECG	- ECG resting
Chest XR	- CXR
Liver function test	- Liver function test (ALT, AST, ALP, Bilirubin )
Renal function test	- Urea, Creatinine
Gout	- Uric acid
Hepatitis B	- HBsAg
nepatitis b	- Anti HBs (Plan 2 exclusive)
Thyroid function	- fT4
Urine test	- Urine microscopy /urinalysis
Stool	- Fecal occult blood
USG abd	- USG whole abdomen (Plan 2 exclusive)
Medical report with Dr's comment	✓
Report explanation	✓

## **List of Service Providers**

Address of Service Provider	Service Hours & Telephone for Appointment
4/F, HKHC Tower, 241-243 Nathan Road, Kowloon	Mon – Sat
	09:00 – 18:30
	Tel. : 3678 8288
14/F, Fortune Centre, 44–48 Yun Ping Road,	Mon – Fri
Causeway Bay, Hong Kong	09:00 – 18:00
	Sat
	09:00 – 17:00
	Tel. : 2576 3023
Page CO1 C/F Pagific Hause 20 Occasile Page Control	Mon – Fri
Room 601, 6/F, Pacific House, 20 Queen's Road Central,	
Central, Hong Kong	09:00 – 18:00
	Sat
	09:00 – 17:00
	Tel. : 2537 6698
Shop 19–20, Golden Plaza,	Mon – Fri
28 Shui Che Kwun Street,	09:00 – 18:30
/uen Long, New Territories	
	Tel.: 2117 0168
Room 208–211, Citylink Plaza,	Mon – Fri
No. 1 Shatin Station Circuit,	09:00 – 13:00, 14:00 – 18:30
Shatin, N.T.	Sat
	09:00 – 13:00
	Tel. : 2601 0368

Medtimes Medical Services Centre www.medtimes.com.hk		
Address of Service Provider	Service Hours & Telephone for Appointment	
Unit 1302-05,13/F, 26 Nathan Road, Tsim Sha Tsui, Kowloon,Hong Kong	Mon – Sat 09:00 – 18:30	
Unit 711–713A, Landmark North, Sheung Shui, New Territories, Hong Kong	Tel.: 3585 8533	
Please note that wellness and screening programme 1C is only available at Tsim Sha Tsui and Sheung Shui Centres		

Trinity Medical Center		
Address of Service Provider	Service Hours & Telephone for Appointment	
7B & 22B, Entertainment Building,	Mon – Fri	
30 Queen's Road Central, Hong Kong	09:00 – 19:00	
	Sat	
	09:00 – 17:00	
	Tel.: 2197 0122	